


RESISTANT XL

Endoluminal Aortic Prosthesis

Vascular

Endoluminal
Aortic
Prosthesis



Excellent vessel
wall adaption

Ergonomic handle

Safe deployment

Perfect visibility


Flexible - Adaptable - Selfexpanding
Up to 200 mm length
14 mm to 40 mm diameter



Quality Made in Germany


RESISTANT XL

Endoluminal Aortic Prosthesis





- Safe and precise deployment
- Soft tip for easy maneuvering
- 0.035" guide wire – OTW

- Coaxial pull back system
- Flexible shaft 12 F to max. 16 F
- Shaft length 100 cm



**Flexibility and vessel
conformability.
Optimal kinking resistance.**




- **Atraumatic vessel access by conical soft tip.**
- **Secure approach to lesions guaranteed by balanced trackability and pushability of the delivery system.**
- **Excellent vessel passage due to a small crossing profile.**



RESISTANT XL

Endoluminal Aortic Prosthesis



The prosthesis provides

- Solution in **Dissection treatment**
- Optimal support for closure of entry tear
- Support for delaminated segment of the Aorta
- Visceral branch access during secondary intervention
- Controlled deployment
- Maximal stent length **200 mm**

Excellent solution for combined use with conventional stentgrafts in EVAR and TEVAR procedures.

Ergonomic pull back device



RESISTANT XL

Endoluminal Aortic Prosthesis

Vascular

Endoluminal
Aortic
Prosthesis

Technical specification

Prosthesis

TYPE OF DESIGN		hybrid structure
	MIDDLE SECTION	open cell structure
	END SECTION	closed cell structure
VISIBILITY		5 Tantalum markers distal / proximal
DIAMETER		14 - 40 mm
STENT LENGTH		70 - 200 mm

Catheter

TYPE OF DESIGN		coaxial pull back system
SHAFT SIZE		
	Diameter 14 - 22 mm	12 F
	Diameter 24 - 32 mm	14 F
	Diameter 36 - 40 mm	16 F
USABLE SHAFT LENGTH		100 cm
GUIDEWIRE		0.035"
PACKAGING		Straight, double sterile
STERILIZATION METHOD		ETO

Order Information

Length							
DiameterØ[mm]	70 mm	100 mm	130 mm	150 mm	180 mm	200 mm	
14	RSOXL14070	ISOXL14100					
16	RSOXL16070	ISOXL16100					
18	RSOXL18070	ISOXL18100					
20	RSOXL20070	ISOXL20100					
22	RSOXL22070	ISOXL22100	RSOXL22130	RSOXL22150			
24	RSOXL24070	ISOXL24100	RSOXL24130	RSOXL24150	RSOXL24180	RSOXL24200	
28	RSOXL28070	ISOXL28100	RSOXL28130	RSOXL28150	RSOXL28180	RSOXL28200	
32	RSOXL32070	ISOXL32100	RSOXL32130	RSOXL32150	RSOXL32180	RSOXL32200	
36	RSOXL36070	ISOXL36100	RSOXL36130	RSOXL36150	RSOXL36180	RSOXL36200	
40	RSOXL40070	ISOXL40100	RSOXL40130	RSOXL40150	RSOXL40180	RSOXL40200	

eucatech AG
Rebgartenweg 27
79576 Weil am Rhein, Germany

Phone +49 7621 42 20 0
Fax +49 7621 42 20 100

order@eucatech.de
info@eucatech.de
www.eucatech.com

CE0535



Quality Made in Germany

REV. RSOXL-EN-1.4 03/2016